EC 421, Set 11

Edward Rubin Winter 2021

# Prologue

# Schedule

### **Last Time**

Causality

## **Today**

• Review: Causality

• New: Instrumental variables

# **Upcoming**

Stay tuned on Canvas

Review

### Review

In our last lecture, we returned to the concept of **causality**.

We worked through the Rubin causal model, in which we defined

- $y_{1i}$ : the outcome for individual i if she had received treatment
- $y_{0i}$ : the outcome for individual i if she had not received treatment

and we referred to individuals who did not receive treatment as control.

If we were able to know both  $y_{1i}$  and  $y_{0i}$ , we could calculate the causal effect of treatment for individual i, i.e.,

$$\tau_i = y_{1i} - y_{0i}$$

### Review

#### **Fundamental problem of causal inference:**

We cannot simultaneously know  $y_{1i}$  and  $y_{0i}$ .

Either we observe individual *i* in the treatment group, *i.e.*,

$$au_i = y_{1i} - ?$$

or we observe i in the control group, i.e.,

$$au_i = ? - y_{0i}$$

but never both at the same time.

### Review

If we want to know  $\tau_i$  (or at least  $\overline{\tau}$ ), what can we do?

**Idea:** Estimate the **average treatment effect** as the difference between the average outcomes in the treatment group and the control group, *i.e.*,

$$Avg(y_i \mid D_i = 1) - Avg(y_i \mid D_i = 0)$$

where  $D_i = 1$  if i received treatment, and  $D_i = 0$  if i is in the control group.

### Review

**Result:** We showed that even when the treatment effect is constant (meaning  $\tau_i = \tau$  for all i),

$$egin{aligned} Avg(y_i \mid D_i = 1) - Avg(y_i \mid D_i = 0) \ &= au + \underbrace{Avg(y_{0,i} \mid D_i = 1) - Avg(y_{0,i} \mid D_i = 0)}_{ ext{Selection bias}} \end{aligned}$$

which says that the difference in the groups' means will give us a **biased estimate** for the causal effect of treatment **if we have selection bias.** 

### Review

**Q:** What is this **selection bias**?

**A: (Informal)** We have selection bias when our control group doesn't offer a good comparison for our treatment group.

Specifically, the control group doesn't give us a good **counterfactual** for what our treatment group would have looked like if the members had not received treatment. Basically, the groups are different.

**A: (Formal)** The average *untreated* outcome for a member of our **treatment group** (which we cannot observe) differs from the average *untreated* outcome for a member of our **control group**, *i.e.*,

$$Avg(y_{0,i} \mid D_i = 1) - Avg(y_{0,i} \mid D_i = 0)$$

### Review

Practical problem: Selection bias is also difficult to observe

$$\underbrace{Avg(y_{0,i} \mid D_i = 1)}_{ ext{Unobservable}} - Avg(y_{0,i} \mid D_i = 0)$$

(back to the fundamental problem of causal inference)

**Bigger problem:** If selection bias is present, our estimate for  $\tau$  is biased, preventing us from understanding the causal effect of treatment.

Sounds a bit like omitted-variable bias, right? Our treatment variable is correlated with something that makese the two groups different.

### Review

**Example:** Imagine we have two people—Al and Bri—and a single binary treatment, college. We interested in the effect of college on earnings.

The selection bias...

If Bri attended college ( $D_{Bri}$ =1) and Al did not ( $D_{Al}$ =0):

$$\hat{\tau} = \text{Earn}_{1,\text{Bri}} - \text{Earn}_{0,\text{Al}} = \$140\text{K} - \$30\text{K} = \$110\text{K}$$

If Al attended college ( $D_{Al}=1$ ) and Bri did not ( $D_{Bri}=0$ ):

$$\hat{\tau} = \text{Earn}_{1.Al} - \text{Earn}_{0.Bri} = \$60\text{K} - \$110\text{K} = -\$50\text{K}$$

### Review

We have (at least) two problems...

- 1. Selection bias is difficult to observe
- 2. If selection bias is present, our estimate for  $\tau$  is biased, preventing us from understanding the causal effect of treatment.

**Solution:** Eliminate/minimize selection bias.

- **Option 1: Distribute treatment** in a way such that the treatment and control groups are essentially identical (experiments).
- **Option 2: Build a control** group that *matches* the treatment group (life with observational data).

### Intro

**Instrumental variables (IV)** is one route econometricians often take toward estimating the causal effect of a treatment/program.

Recall: Selection bias means our treatment and control groups differ on some unobserved/omitted dimension. (Endogeneity)

**Instrumental variables** attempts to separate out

- the **exogenous** part of x, which gives us unbiased estimates
- the **endogenous** part of x, which biases our results

If we use only the exogenous (good) variation in x, then we can avoid selection bias/omitted-variable bias.

### Introductory example

Example: If we want to estimate the effect of veteran status on earnings,

$$Earnings_i = \beta_0 + \beta_1 Veteran_i + u_i \tag{1}$$

We would love to calculate  $Earnings_{1i} - Earnings_{0i}$ , but we can't.

And OLS will likely be biased for (1) due to selection/omitted-variable bias.

### Introductory example

Imagine that we can split veteran status into an exogenous part and an endogenous part...

$$\begin{aligned} \operatorname{Earnings}_{i} &= \beta_{0} + \beta_{1} \operatorname{Veteran}_{i} + u_{i} \\ &= \beta_{0} + \beta_{1} \left( \operatorname{Veteran}_{i}^{\operatorname{Exog.}} + \operatorname{Veteran}_{i}^{\operatorname{Endog.}} \right) + u_{i} \\ &= \beta_{0} + \beta_{1} \operatorname{Veteran}_{i}^{\operatorname{Exog.}} + \underbrace{\beta_{1} \operatorname{Veteran}_{i}^{\operatorname{Endog.}} + u_{i}}_{w_{i}} \\ &= \beta_{0} + \beta_{1} \operatorname{Veteran}_{i}^{\operatorname{Exog.}} + w_{i} \end{aligned}$$

$$(1)$$

We could use this exogenous variation in veteran status to consistently estimate  $\beta_1$ .

**Q:** What would exogenous variation in veteran status mean?

### Introductory example

**Q:** What would exogenous variation in veteran status mean?

**A<sub>1</sub>:** Choices to enlist in the military that are essentially random—or at least uncorrelated with omitted variables and the disturbance.

#### **A<sub>2</sub>:** No selection bias:

$$Avg(\text{Earnings}_{0i} \mid \text{Veteran}_i = 1) - Avg(\text{Earnings}_{0i} \mid \text{Veteran}_i = 0) = 0$$

### Instruments

**Q:** How do we isolate this *exogenous variation* in our explanatory variable?

**A:** Find an instrument (an instrumental variable).

**Q:** What's an instrument?

**A:** An **instrument** is a variable that is

- 1. correlated with the explanatory variable of interest (relevant),
- 2. uncorrelated with the disturbance (exogenous).

### Instruments

**Q:** What's an instrument?

**A:** An **instrument** is a variable that is

- correlated with the explanatory variable of interest (relevant),
- 2. uncorrelated with the disturbance (exogenous).

So if we want an instrument  $z_i$  for endogenous veteran status in

$$\mathrm{Earnings}_i = \beta_0 + \beta_1 \mathrm{Veteran}_i + u_i$$

- 1. **Relevant:**  $Cov(Veteran_i, z_i) \neq 0$
- 2. **Exogenous:**  $\operatorname{Cov}(z_i, u_i) = 0$

### Instruments: Relevance

**Relevance:** We need the instrument to cause a change in (correlate with) our endogenous explanatory variable.

We can actually test this requirement using regression and a t test.

**Example:** For the veteran status, consider three potential instruments:

- 1. Social security number
- 2. Physical fitness
- 3. Vietnam War draft

#### **Probably not relevant**

uncorrelated with military service

#### **Potentially relevant**

service may correlate with fitness

#### Relevant

being draw led to service

### Instruments: Exogeneity

**Exogeneity:** The instrument to be independent of omitted factors that affect our outcome variable—as good as randomly assigned.

 $z_i$  must be uncorrelated with our disturbance  $u_i$ . Not testable.

**Example:** For the veteran status, consider three potential instruments:

- 1. Social security number
- 2. Physical fitness
- 3. Vietnam War draft

#### **Exogenous**

Indep. of other factors of service

#### Not exogenous

fitness correlates with many things

#### **Exogenous**

the lottery was random

### Instrumental review

Let's recap...

- Our instrument must be correlated with our endogenous variable.
- Our instrument must be uncorrelated with any other variable that affects the outcome.

#### In other words:

The instrument only affects our outcome through the endogenous variable.

### Back to our example

For veteran status we considered three potential instruments:

1. Social security number **Not relevant** 

**Exogenous** 


2. Physical fitness **Probably relevant** 

Not exogenous

3. Vietnam War draft Relevant

**Exogenous** 

Thus, only the Vietnam War's draft lottery appears to be a *valid* instrument.



### **Estimation**

Recall: We want to estimate the effect of veteran status on earnings.

$$Earnings_i = \beta_0 + \beta_1 Veteran_i + u_i$$

Let's consider two related effects:

1. The effect of the **instrument** on the **endogenous variable**, e.g.,

$$Veteran_i = \gamma_0 + \gamma_1 Draft_i + v_i$$

2. The effect of the **instrument** on the **outcome variable**, e.g.,

$$\operatorname{Earnings}_i = \pi_0 + \pi_1 \operatorname{Draft}_i + w_i$$

### **Estimation**

Recall: We want to estimate the effect of veteran status on earnings.

$$Earnings_i = \beta_0 + \beta_1 Veteran_i + u_i$$

and we know that the draft affected veteran status.

Using our assumptions on independence and exogeneity:

```
(Effect of the draft on earnings) =
    (Effect of the draft on veteran status)*
    (Effect of veteran status on earnings)
```

### **Estimation**

We just wrote out an expression for the effect of the draft on earnings, i.e., (Effect of **the draft** on **earnings**) = (Effect of the draft on veteran status)× (Effect of **veteran status** on **earnings**) but we want to know the effect of **veteran status** on **earnings**. Rearrange! (Effect of **veteran status** on **earnings**) = (Effect of **the draft** on **earnings**) (Effect of **the draft** on **veteran status**)

Our **instrument** consistently estimates both parts of this fraction!

### Estimation: Bring it all together

By estimating two regressions involving our **instrument**,

1. The effect of the **instrument** on the **endogenous variable**, e.g.,

$$Veteran_i = \gamma_0 + \gamma_1 Draft_i + v_i$$

2. The effect of the **instrument** on the **outcome variable**, e.g.,

$$\operatorname{Earnings}_i = \pi_0 + \pi_1 \operatorname{Draft}_i + w_i$$

we can estimate our desired effect:

(Effect of **veteran status** on **earnings**) = 
$$\frac{\pi_1}{\gamma_1}$$

### Estimation: Bring it all together

So with instrumental variables, we estimate  $\beta_1$  using

$${\hat eta}_1^{ ext{IV}} = rac{{\hat \pi}_1}{{\hat \gamma}_1}$$

where  $\hat{\pi}_1$  and  $\hat{\gamma}_1$  come from the two equations we just discussed.


**Q:** Can we trust  $\hat{\beta}_1^{\text{IV}}$ ?

A: Yes... if we have a valid instrument.

$$ext{plim} \left( \hat{eta}_1^{ ext{IV}} \right) = eta_1 + rac{ ext{Cov}( ext{Instrument}, u)}{ ext{Cov}( ext{Instrument}, ext{Endog. variable})}$$

which equals  $\beta_1$  as long as our instrument is **exogenous** (numerator) and **relevant** (denominator).

Figure 4



# Venn diagram explanation

#### In these figures (Venn diagrams)

- Each circle illustrates a variable.
- Overlap gives the share of correlatation between two variables.
- Dotted borders denote omitted variables.

#### Take-aways

- Figure 1: Valid instrument (relevant; exogenous)
- Figure 2: **Invalid instrument** (relevant; not exogenous)
- Figure 3: **Invalid instrument** (not relevant; not exogenous)
- Figure 4: **Invalid instrument** (relevant; not exogenous)

Let's work an example in R.

## **Example in R**

Back to our age-old battle to estimate the returns to education.

```
\#> \# A \ tibble: 722 \times 4
#>
       wage education education dad education mom
#>
      <int>
                 <int>
                                 <int>
                                                 <int>
        769
                     12
                                      8
                                                      8
#>
#>
       808
                     18
                                     14
                                                     14
       825
#>
                     14
                                     14
                                                     14
       650
#>
                     12
                                     12
                                                     12
       562
#>
                     11
                                     11
                                                      6
                                                      8
#>
    6 600
                     10
                                      8
       1154
                                                     14
#>
                     15
#>
    8
       1000
                     12
                                     11
                                                     12
#>
       930
                     18
                                     14
                                                     13
#>
   10
        900
                     15
                                     12
                                                     12
  # ... with 712 more rows
```

### **Example** in R

OLS for the returns to education with will likely (definitely) be biased...

$$Wage_i = \beta_0 + \beta_1 Education_i + u_i$$

#### (Likely biased) OLS results:

Term	Est.	S.E.	t stat.	p-Value
Intercept	176.504	89.152	1.98	0.0481
Education	58.594	6.439	9.10	<0.0001

but what if mother's education provides a valid instrument?

### **Example** in R

We can check/test the relevance of **mother's education** for **education**.

This regression is known as the *first stage*:

The effect of the instrument on our endogenous explanatory variable.


$$\text{Education}_i = \gamma_0 + \gamma_1 (\text{Mother's Education})_i + v_i$$

#### First-stage results:

Term	Est.	S.E.	t stat.	p-Value
Intercept	10.487	0.306	34.32	<0.0001
<b>Mother's Education</b>	0.294	0.027	10.75	<0.0001

The p-value suggests a very strong relationship (very relevant).

# Visualizing the first stage



## Exogeneity

**Q:** What does **exogeneity** mean in this case?

**A:** We need two things

- 1. Mother's education (our instrument) must only affect earnings through education (our endogenous explanatory variable).
- 2. Mother's education must be uncorrelated with other factors that affect wages (our outcome variable).

We want to be able to compare two people (A and B) whose mothers have different levels of education and say that the only differences between the two people (A and B) are due to their mothers' educational levels.

**Q:** Does *mother's education* seem likely to satisfy exogeneity?

### **Example** in R

Now, let's estimate the **reduced form**:

The effect of the instrument on our outcome variable.

$$\mathrm{Wage}_i = \pi_0 + \pi_1(\mathrm{Mother's\ Education})_i + w_i$$

#### **Reduced-form results:**

Term	Est.	S.E.	t stat.	p-Value
Intercept	633.34	58.58	10.81	<0.0001
<b>Mother's Education</b>	31.81	5.24	6.07	<0.0001

**Q<sub>1</sub>:** How do we interpret this estimated coefficient  $(\hat{\pi}_1)$ ?

**Q<sub>2</sub>:** If our instrument is *valid*, can we interpret these estimates as **causal**?

### **Example** in R

So what is our IV-based estimate for the returns to education?

$$Wage_i = \beta_0 + \beta_1 Education_i + u_i$$

We know that the IV estimate for  $\beta_1$  is

$${\hat eta}_1^{ ext{IV}} = rac{{\hat \pi}_1}{{\hat \gamma}_1}$$

- 1. In the **reduced-form equation**, we estimated  $\hat{\pi}_1 \approx 31.81$ .
- 2. In the **first-stage equation**, we estimated  $\hat{\gamma}_1 \approx 0.294$ .

$$\implies \hat{eta}_1^{ ext{IV}} = rac{\hat{\pi}_1}{\hat{\gamma}_1} = rac{31.81}{0.294} pprox 108.2$$

### **Example in** R

**Alternative:** Use the function iv\_robust() from the estimatr package.

This new function iv\_robust works very similar to our good friend lm:

```
iv_robust(y \sim x \mid z, data = dataset)
```

- formula Specify the regression followed by | and your instrument (z).
- data You still need a dataset.

**Note:** As you might guess by its name, iv\_robust calculates heteroskedasticity-robust standard errors by default.

### **Example** in R

In practice...

```
# Estimate our IV regression
iv_est ← iv_robust(wage ~ education | education_mom, data = wage_df)
```

Term	Est.	S.E.	t stat.	p-Value
Intercept	-501.474	226.476	-2.21	0.0271
Education	108.214	16.810	6.44	<0.0001

#### More

So now we know how to "do" instrumental variables when we have one endogenous variable and one exogenous variable.

- 1. Estimate the reduced form (regress outcome var. on instrument).
- 2. Estimate the first stage (regress expl. var. on instrument).
- 3. Calculate the IV estimate using the estimates from (1) and (2).

Our magical instrument isolates the exogenous variation in our endogenous variable.

**Q:** What if we want more? (*E.g.*, more instruments or endog. variables)

A: Too bad. Extend IV to two-stage least squares (2SLS).

### Intro

The intuition and insights of IV carry over into two-stage least squares.

**Plus:** The *first stage* that we've been discussing is actually the *first* of the *two stages* in two-stage least squares.

$$egin{aligned} ext{Endogenous model} & ext{Outcome}_i = eta_0 + eta_1 ( ext{Endog. var.})_i + u_i \ & ext{First stage} & ext{(Endog. var.)}_i = \pi_0 + \pi_1 ext{Instrument}_i + v_i \ & ext{Second stage} & ext{Outcome}_i = \delta_0 + \delta_1 ( ext{Endog. var.})_i + arepsilon_i \ & ext{Outcome}_i = \pi_0 + \pi_1 ext{Instrument}_i + w_i \end{aligned}$$

where  $(Endog. var.)_i$  denotes the predicted values (fitted values) from the first-stage regression.

#### Intro

Two-stage least squares is very flexible—we include other controls, additional endogenous variables, *and* have multiple instruments.

**But** don't get too distracted by this fancy flexiblity.

We still need **valid** instruments.

#### In R

Back to our returns to education example.

$$Wage_i = \beta_0 + \beta_1 Education_i + u_i$$

Imagine that mother's and father's education are both valid instruments.

Then our first-stage regression is

$$Education_i = \gamma_0 + \gamma_1 (Mother's education)_i + \gamma_2 (Father's education)_i + v_i$$

which we can estimate via OLS.

**Q:** Why?

#### In R

```
 \begin{aligned} & \text{Education}_i = \gamma_0 + \gamma_1 (\text{Mother's education})_i + \gamma_2 (\text{Father's education})_i + v_i \\ & \text{stage1} \leftarrow \text{lm(education} \sim \text{education\_mom} + \text{education\_dad, wage\_df)} \end{aligned}
```

#### **First-stage results:**

Term	Est.	S.E.	t stat.	p-Value
Intercept	9.845	0.305	32.31	<0.0001
<b>Mother's Education</b>	0.149	0.032	4.62	<0.0001
Father's Education	0.216	0.028	7.84	<0.0001

Our instruments each appear to be *relevant*. Formally, we should jointly test them (*e.g.*, *F* test).

#### In R

Using our estimated first stage, we grab the fitted endogenous variable

$$\widehat{\text{Education}}_i = \widehat{\gamma}_0 + \widehat{\gamma}_1(\text{Mother's education})_i + \widehat{\gamma}_2(\text{Father's education})_i$$

```
# Add fitted values from first stage
wage_df$education_hat ← stage1$fitted.values
```

Now we use OLS (again) to estimate the second-stage regression

$$ext{Wage}_i = \delta_0 + \delta_1 \widehat{ ext{Education}}_i + arepsilon_i$$

### In R

$$\text{Wage}_i = \delta_0 + \delta_1 \hat{\text{Education}}_i + \varepsilon_i$$

stage2 ← lm(wage ~ education\_hat, wage\_df)

#### **Second-stage results:**

Term	Est.	S.E.	t stat.	p-Value
Intercept	-454.683	198.149	-2.29	0.022
Fitted Education	104.789	14.462	7.25	<0.0001

#### Ordinary least squares

Term	Est.	S.E.	t stat.	p-Value
Intercept	176.504	89.152	1.98	0.0481
Education	58.594	6.439	9.10	<0.0001

#### Instrumental variables

Term	Est.	S.E.	t stat.	p-Value
Intercept	-501.474	226.476	-2.21	0.0271
Education	108.214	16.810	6.44	<0.0001

### Two-stage least squares w/ two instruments

Term	Est.	S.E.	t stat.	p-Value
Intercept	-454.683	198.149	-2.29	0.022
Education	104.789	14.462	7.25	<0.0001

#### In R

As you probably guessed, R will do both of the stages for you.

```
iv_robust(y \sim x1 + x2 + ... | z1 + z2 + ..., data)
```

In our case, we have

- one explanatory variable (x) (education)
- two instruments (z) (parents' educations)

```
iv_robust(wage ~ education | education_mom + education_dad, data = wage_df)
```

Term	Est.	S.E.	t stat.	p-Value
Intercept	-454.683	199.946	-2.27	0.0233
Education, fitted	104.789	14.852	7.06	<0.0001

#### There's more!

Because 2SLS **isolates exogenous variation in an endogenous variable**, we apply it in other settings that are biased from *endogenous* relationships.

#### **Common applications**

- **General causal inference** for observational data (as we've seen).
- **Experiments:** Randomize a treatment that affects an endog. variable.
- **Measurement error:** Regress noisy  $x_1$  on noisy  $x_2$  to capture signal.
- Simultaneous relationships (e.g., p and q from supply and demand).

However, in any 2SLS/IV setting, you need to mind the requirements for **valid instruments**—exogeneity and relevance.

## Table of contents

#### Admin

- 1. Schedule
- 2. Causality review

#### Instrumental variables

- 1. Introduction
- 2. What is an instrument?
  - Relevant
  - Exogenous
- 3. IV Estimation
- 4. Venn diagrams
- 5. Example in R
- 6. Two-stage least squares
  - Introduction
  - Back to R
- 7. More applications