



CloudNativeCon

North America 2019




Katie Gamanji

Cloud Platform Engineer Condé Nast











North America 2019

Creating a Micro Open-Source Community with Helm

Katie Gamanji











DevExp

Support Topology

Helm µOSC



66

Has set the benchmark for print and digital publishing with a heritage of more than 110 years.

GQ

LIOMO

VOGUE

Traveler Traveler

INTERIORS

TATLER

allure

AD
ARCHITECTURAL DIGEST

WIRED

HOUSI & GARDEN

VANITY FAIR

GLAMOUR



12

Markets



86

Websites




336m

Unique users



1.6bn

Digital readership





Total digital readership





Migrated websites

22/35

268m

Digital readership



Developer Experience



40

Developers



40

Applications



15

Deployments





- Base
- Ingress
- Service
- HPA
- Fluentd
- Cronjob
- Job
- Network policies
- Resource quotas



Image

Replicas

Annotations

Service

Resource requests

Ingress

Readiness probes

Liveness probes


Environmental variables

Lifecycle hooks

HPA


A

```
name: azimuth
replicaCount: 3
image:
 repository: quay.io/azimuth
service:
 enabled: true
 internalPort: 8080
 externalPort: 80
ingress:
 enabled: true
 traefik: traefik-restricted.lb.endpoint
 type: internal
 rules:
   - host: azimuth.ui.cni
     path: /
```

















Support Topology




Platform Team




Cloud platform + Infrastructure management



Cloud platform + Infrastructure management + SRE








Platform Team

Cloud platform
+
Infrastructure
management

Cloud platform
+
Infrastructure
management
+
SRE



Platform Team

Cloud platform + Infrastructure management Cloud platform
+
Infrastructure
management
+
SRE



Helm µOSC

Open Source

Add support for setting a preStop hook #158

CONDÉ NAST


















Description

The change allows for a preStop hook (command -only) to be specified by users of the chart.

Why might we want a preStop handler?


Adding a simple preStop handler that does a sleep 10 should make these 502/504 errors go away (this is prod, notice a couple of spikes north of 1.5k in a two hour window):





+ 🖭 ...

Ch23242/update helm chart to use hpa #153






Description

At IO we have been trying to deploy an autoscaler based on custom external metrics, and have found that the metric value we had in datadog was being divided by the number of pods currently running, which got us to realise we could target the metric using targetAverageValue and targetValue.


For some reason, the HPA template is translating targetValue to targetAverageValue.

The change made allows to use one or the other metric, not both, as specified in the documentation.

Add pod annotation values to Chart `cnid/job` #156











Extend base chart to support secret volumes #164







Terraform modules







DevExp

Support Topology

Helm µOSC



66

Created a coherent
environment to further
enable technological
initiatives, while instigating
micro open-source
communities.



https://www.condenast.com/careers



